

## CUT-OFF WHEELS ULTRA-THIN

ULTRA-THIN CUT-OFF WHEELS			
CODE	ITEM		Q.TY
01.17.100S	For cutting of soft materials (HV<300)	Ø 100x0,4x12,7	10/1 box
01.17.100M	For cutting of medium materials (HV300-500)	Ø 100x0,4x12,7	10/1 box
01.17.100H	For cutting of hard materials (HV>500)	Ø 100x0,4x12,7	10/1 box
01.17.125S	For cutting of soft materials (HV<300)	Ø 125x0,5x12,7	10/1 box
01.17.125M	For cutting of medium materials (HV300-500)	Ø 125x0,5x12,7	10/1 box
01.17.125H	For cutting of hard materials (HV>500)	Ø 125x0,5x12,7	10/1 box
01.17.150S	For cutting of soft materials (HV <300)	Ø 150x0,5x12,7	10/1 box
01.17.150M	For cutting of medium materials (HV300-500)	Ø 150x0,5x12,7	10/1 box
01.17.150H	For cutting of hard materials (HV>500)	Ø 150x0,5x12,7	10/1 box
01.17.175S	For cutting of soft materials (HV <300)	Ø175x0,7x25,4	10/1 box
01.17.175M	For cutting of medium materials (HV300-500)	Ø175x0,7x25,4	10/1 box
01.17.175H	For cutting of hard materials (HV>500)	Ø175x0,7x25,4	10/1 box
01.17.200S	For cutting of soft materials (HV <300)	Ø200x0,8x25,4	10/1 box
01.17.200M	For cutting of medium materials (HV300-500)	Ø175x0,8x25,4	10/1 box
01.17.200H	For cutting of hard materials (HV>500)	Ø175x0,8x25,4	10/1 box

## CUT-OFF WHEELS DIAMOND

DIAMOND CUT-OFF WHEELS						
DIMENSIONS	ITEM	L.M.D.	L.M.D.H.C.	L.R.D.H.C.	L.M.CBN	
Ø 75	Thickness 0,3 mm id. 12,7 mm	x	x			
Ø 75	Thickness 0,5 mm id. 12,7 mm			x	x	
Ø 100	Thickness 0,3 mm id. 12,7 mm	x	x			
Ø 100	Thickness 0,5 mm id. 12,7 mm	x		x	x	
Ø 125	Thickness 0,5 mm id. 12,7 mm	x	x	x	x	
Ø 150	Thickness 0,6 mm id. 2,7 mm	x	x	x	x	
Ø 175	Thickness 0,7 mm id. 2,7 mm	x	x	x	x	
Ø 200	Thickness 0,9 mm id. 32 mm		x	x	x	
Ø 200	Thickness 1,8 mm id. 20 mm	x				
Ø 250	Thickness 1,2 mm id. 32 mm	x	x	x	x	
Ø 300	Thickness 1,2 mm id. 32 mm			x	x	
Ø 300	Thickness 1,4 mm id. 32 mm	x	x			

L.M.D.: Metal bond with diamond  
L.M.D.H.C.: Metal bond with diamond high concentration

L.R.D.H.C.: Resin bond high concentration  
L.M.CBN: Metal bond with CBN



G&G SURFACE TECHNOLOGY

Via Leonardo da Vinci, 6  
27040 BOSNASCO (PV) - ITALY

T +39 0385 272022  
F +39 0385 272606  
info@gegindustry.com  
www.gegindustry.com

2012\_Rev.1.5


LA CENTRALE COMUNICAT



CUT-OFF WHEELS

CONSUMABLES FOR METALLOGRAPHY

## CUT-OFF WHEELS




The G&G range of cut-off wheels includes several models of abrasive wheels (*White Corundum*) for routine and superior quality cutting requirements.

G&G manufactures also a wide range of diamond cut-off wheels in electroplated, metal and resin bond version, according to different sizes and applications.

Several models of diamond grinding cups and wheels for petrography and thin-section applications are also available.


Please ask for specifications and quotations.

## CUT-OFF WHEELS



CUT-OFF WHEELS			
CODE	ITEM		Q.TY
01.07.200S	For cutting of soft ferrous materials (HV<300)	Ø 200x1,5x20	10/1 box
01.07.200M	For cutting of medium ferrous materials (HV300-450)	Ø 200x1,5x20	10/1 box
01.07.200H	For cutting of hard ferrous materials (HV>450)	Ø 200x1,5x20	10/1 box
01.07.250S	For cutting of soft ferrous materials (HV<300)	Ø 250x1,5x20	10/1 box
01.07.250M	For cutting of medium ferrous materials (HV300-450)	Ø 250x1,5x32	10/1 box
01.07.250H	For cutting of hard ferrous materials (HV>450)	Ø 250x1,5x32	10/1 box
01.07.300S	For cutting of soft ferrous materials (HV <300)	Ø 300x2x32	10/1 box
01.07.300M	For cutting of medium ferrous materials (HV300-450)	Ø300x2x32	10/1 box
01.07.300H	For cutting of hard ferrous materials (HV>450)	Ø300x2x32	10/1 box
01.07.350S	For cutting of soft ferrous materials (HV <300)	Ø350x2,5x32	10/1 box
01.07.350M	For cutting of medium ferrous materials (HV300-450)	Ø350x2,5x32	10/1 box
01.07.350H	For cutting of hard ferrous materials (HV>450)	Ø350x2,5x32	10/1 box

## HIGH QUALITY



HIGH QUALITY			
CODE	ITEM		Q.TY
01.07.200S.X	For cutting of soft ferrous materials (HV<300)	Ø 200x1,5x20	10/1 box
01.07.200M.X	For cutting of medium ferrous materials (HV300-450)	Ø 200x1,5x20	10/1 box
01.07.200H.X	For cutting of hard ferrous materials (HV>450)	Ø 200x1,5x20	10/1 box
01.07.250S.X	For cutting of soft ferrous materials (HV<300)	Ø 250x1,5x20	10/1 box
01.07.250M.X	For cutting of medium ferrous materials (HV300-450)	Ø 250x1,5x32	10/1 box
01.07.250H.X	For cutting of hard ferrous materials (HV>450)	Ø 250x1,5x32	10/1 box
01.07.300S.X	For cutting of soft ferrous materials (HV <300)	Ø 300x2x32	10/1 box
01.07.300M.X	For cutting of medium ferrous materials (HV300-450)	Ø300x2x32	10/1 box
01.07.300H.X	For cutting of hard ferrous materials (HV>450)	Ø300x2x32	10/1 box
01.07.350S.X	For cutting of soft ferrous materials (HV <300)	Ø350x2,5x32	10/1 box
01.07.350M.X	For cutting of medium ferrous materials (HV300-450)	Ø350x2,5x32	10/1 box
01.07.350H.X	For cutting of hard ferrous materials (HV>450)	Ø350x2,5x32	10/1 box